





















# 易损零件清单

型号	参数	版本	编号	 单向阀	 柱塞	 油封	 水封	 O型圈	 支撑环	 活塞导杆	 机油类型	 机油容量
RPV	2G19	D - 3/4"	26350	43025	43026	43027	43028	43029	-	-	SAE 15W40	0.03kg
	2G19	D - 5/8"	26351	43025	43026	43027	43028	43029	-	-	SAE 15W40	0.03kg
	1.5G19	D - 15.8mm	26352	43025	43026	43027	43028	43029	-	-	SAE 15W40	0.03kg
RPW	1.7G19	D - 7/8"	26516	43025	43026	43027	43028	43029	-	-	SAE 15W40	0.03kg
	2G19	D - 7/8"	26353	43025	43026	43027	43028	43029	-	-	SAE 15W40	0.03kg
RQV	2.2G26	D - 3/4"	26024	42955	42956	42960	42958	42959	-	-	SAE 75W90	0.065kg
	2.2G28	D - 3/4"	26241	42955	42956	42960	42958	42959	-	-	SAE 75W90	0.065kg
	2.4G28	D - 3/4"	26211	42955	42956	42960	42958	42959	-	-	SAE 75W90	0.065kg
	2.5G24	D - 3/4"	26000	42955	42956	42960	42958	42959	-	-	SAE 75W90	0.065kg
	2.5G30	D - 3/4"	25024	42955	42956	42960	42958	42959	-	-	SAE 75W90	0.065kg
	2.7G30	D - 3/4"	25760	42955	42956	42960	42958	42959	-	-	SAE 75W90	0.065kg
RQW	2.2G26	D - 7/8"	25999	42955	42956	42957	42958	42959	-	-	SAE 75W90	0.065kg
	2.2G28	D - 7/8"	TBA	42955	42956	42957	42958	42959	-	-	SAE 75W90	0.065kg
	2.4G28	D - 7/8"	TBA	42955	42956	42957	42958	42959	-	-	SAE 75W90	0.065kg
	2.5G28	D - 7/8"	25025	42955	42956	42957	42958	42959	-	-	SAE 75W90	0.065kg
RMV	2.2G24	D - 3/4"	23754	2233	2234	42127	42122	2237	-	-	SAE 15W40	0.065kg
	2.2G24	D - 3/4"	23580	2233	2234	42127	42122	2237	-	-	SAE 15W40	0.065kg
	2.2G24	D - 3/4"	23294	2233	2234	42127	42122	2237	-	-	SAE 15W40	0.065kg
	2.5G30	D - 3/4"	24462	42123	42161	42127	2235	42701	-	-	SAE 15W40	0.065kg
	2.5G30	D - 3/4"	23394	42123	42161	42127	2235	42701	-	-	SAE 15W40	0.065kg
	2.5G30	D - 3/4"	22437	42123	42161	42127	2235	42701	-	-	SAE 15W40	0.065kg
RMW	2.2G24	D - 7/8"	24747	2233	2234	2236	42122	2237	-	-	ISO VG220	0.065kg
	2.5G28	D - 7/8"	24463	42123	42161	2236	2235	42433	-	-	SAE 75W90	0.065kg
SRMV	2.2G26	D - 3/4"	25027	42499	2234	2236	42122	2237	-	-	ISO VG220	0.065kg
	2.2G28	D - 3/4"	25028	42499	2234	2236	42122	2237	-	-	ISO VG220	0.065kg
	2.4G30	D - 3/4"	28031	42499	2234	2236	42122	2237	-	-	ISO VG220	0.065kg
SRMW	2.2G26	D - 7/8"	24749	42499	2234	2236	42122	2237	-	-	ISO VG220	0.065kg
	2.5G28	D - 7/8"	25026	42499	2234	2236	42122	2237	-	-	ISO VG220	0.065kg
RXV	2.5G30	D - 3/4"	25600	42949	42950	42951	42952	42953	-	-	SAE 75W90	0.095kg
	3G30	D - 3/4"	24918	42949	42950	42951	42952	42953	-	-	SAE 75W90	0.095kg
	3.5G30	D - 3/4"	24919	42949	42950	42951	42952	42953	-	-	SAE 75W90	0.095kg
RS	8.15	N - 24mm	TBA	2186	42303	42194	42195	2190	42196	-	SAE 15W40	0.30kg
	11.18	N - 24mm	23616	2186	42303	42194	42195	2190	42196	-	SAE 15W40	0.30kg
	11.18	C - 28mm	25967	2186	42303	42194	42195	2190	42196	-	SAE 15W40	0.30kg
	13.17	N - 24mm	23160	2186	42303	42194	42195	2190	42196	-	SAE 15W40	0.30kg
	13.17	C - 28mm	TBA	2186	42303	42194	42195	2190	42196	-	SAE 15W40	0.30kg
	15.15	N - 24mm	23161	2186	42303	42194	42195	2190	42196	-	SAE 15W40	0.30kg
	15.15	C - 28mm	23474	2186	42303	42194	42195	2190	42196	-	SAE 15W40	0.30kg
	RSV	2.5G25	D - 3/4"	23831	2186	2187	2188	2189	2190	2191	-	SAE 15W40
3G30		D - 3/4"	24420	2186	2187	2188	2189	2190	2191	-	SAE 15W40	0.30kg
3G34		D - 1"	25338	2186	2187	2188	2189	2190	2191	-	SAE 15W40	0.30kg
3.5G36		D - 1"	25339	2186	2187	2188	2189	2190	2191	-	SAE 15W40	0.30kg
3.5G40		D - 1"	23078	42666	2187	2188	2189	2190	2191	-	SAE 15W40	0.30kg
4G36		D - 1"	23101	42666	2187	2188	2189	2190	2191	-	SAE 15W40	0.30kg
4G40		D - 1"	24421	42666	2187	2188	2189	2190	2191	-	SAE 15W40	0.30kg
JRS		08.15	N - 24mm	25945	43478	43479	43480	43481	43482	-	-	SAE 15W40
	10.15	N - 24mm	25961	43478	43479	43480	43481	43482	-	-	SAE 15W40	0.15kg
	14.15	N - 24mm	26441	43478	43479	43480	43481	43482	-	-	SAE 15W40	0.15kg
JR	08.15	N - 24mm	26438	43478	43479	43480	43481	43482	-	-	SAE 15W40	0.15kg
	05.15	C - 19mm	25662	43478	43479	43480	43481	43482	-	-	SAE 15W40	0.15kg










# 易损零件清单












型号	参数	版本	编号	 单向阀	 柱塞	 油封	 水封	 O型圈	 支撑环	 活塞导杆	 机油类型	 机油容量
JR-M	01.10	C - 19mm	26315	43478	43479	43557	42481	42482	-	-	SAE 15W40	0.15kg
	02.10	C - 19mm	26314	43478	43479	43557	42481	42482	-	-	SAE 15W40	0.15kg
	04.10	C - 19mm	26313	43478	43479	43557	42481	42482	-	-	SAE 15W40	0.15kg
	05.10	C - 19mm	26312	43478	43479	43557	42481	42482	-	-	SAE 15W40	0.15kg
JRV	2.5G30	D - 3/4"	26349	43478	43479	43557	42481	42482	-	-	SAE 15W40	0.15kg
	3G30	D - 3/4"	26348	43478	43479	43557	42481	42482	-	-	SAE 15W40	0.15kg
RC	06.17	C - 28mm	24560	2186	42467	42474	42469	42470	2745	-	SAE 15W40	0.26kg
	10.15	N - 24mm	23436	2186	42467	42468	42469	42470	2745	-	SAE 15W40	0.26kg
	11.11	C - 24mm	23495	2186	42467	42474	42469	42470	2745	-	SAE 15W40	0.26kg
	11.17	C - 28mm	24800	2186	42467	42474	42469	42470	2745	-	SAE 15W40	0.26kg
	11.17	N - 24mm	23261	2186	42467	42468	42469	42470	2745	-	SAE 15W40	0.26kg
	12.10	C - 28mm	23902	2186	42467	42474	42469	42470	2745	-	SAE 15W40	0.26kg
	12.17	N - 24mm	23262	2186	42467	42468	42469	42470	2745	-	SAE 15W40	0.26kg
	13.17	C - 28mm	23535	2186	42467	42474	42469	42470	2745	-	SAE 15W40	0.26kg
	13.17	N - 24mm	23081	2186	42467	42468	42469	42470	2745	-	SAE 15W40	0.26kg
	14.16	C - 28mm	23536	2186	42467	42474	42469	42470	2745	-	SAE 15W40	0.26kg
	14.16	N - 24mm	23301	2186	42467	42468	42469	42470	2745	-	SAE 15W40	0.26kg
	06.15	C - 24mm	24468	2186	42467	42474	42469	42470	2745	-	SAE 15W40	0.26kg
	08.15	C - 24mm	23493	2186	42467	42474	42469	42470	2745	-	SAE 15W40	0.26kg
	08.15	N - 24mm	23260	2186	42467	42468	42469	42470	2745	-	SAE 15W40	0.26kg
	09.14	C - 24mm	23494	2186	42467	42474	42469	42470	2745	-	SAE 15W40	0.26kg
	09.15	N - 24mm	23263	2186	42467	42468	42469	42470	2745	-	SAE 15W40	0.26kg
RC-M	01.10	N - 24mm	23441	42494	42475	42468	42476	42495	2191	-	SAE 15W40	0.26kg
	02.10	C - 19mm	24613	42494	42475	42468	42476	42495	2191	-	SAE 15W40	0.26kg
	02.10	N - 24mm	23432	42494	42475	42468	42476	42495	2191	-	SAE 15W40	0.26kg
	03.10	N - 24mm	23442	42494	42475	42468	42476	42495	2191	-	SAE 15W40	0.26kg
	04.10	C - 19mm	24614	42494	42475	42468	42476	42495	2191	-	SAE 15W40	0.26kg
	04.10	N - 24mm	23083	42494	42475	42468	42476	42495	2191	-	SAE 15W40	0.26kg
	05.10	N - 24mm	23443	42494	42475	42468	42476	42495	2191	-	SAE 15W40	0.26kg
	06.10	N - 24mm	23444	42494	42475	42468	42476	42495	2191	-	SAE 15W40	0.26kg
RCA	2.5G25	N - 24mm	23437	2186	42467	42468	42469	42470	2745	-	SAE 15W40	0.26kg
	3G25	N - 24mm	23438	2186	42467	42468	42469	42470	2745	-	SAE 15W40	0.26kg
	3.5G25	N - 24mm	23264	2186	42467	42468	42469	42470	2745	-	SAE 15W40	0.26kg
RCV	2.5G25	D - 3/4"	23214	2186	42475	42474	42476	42470	2191	-	SAE 15W40	0.26kg
	2G22	D - 3/4"	23467	2186	42475	42474	42476	42470	2191	-	SAE 15W40	0.26kg
	3.5G25	D - 3/4"	23082	2186	42475	42474	42476	42470	2191	-	SAE 15W40	0.26kg
	3G25	D - 3/4" + UV	23471	2186	42475	42474	42476	42470	2191	-	SAE 15W40	0.26kg
	3G25	D - 3/4" + UV	24279	2186	42475	42474	42476	42470	2191	-	SAE 15W40	0.26kg
	3G25	D - 3/4"	23213	2186	42475	42474	42476	42470	2191	-	SAE 15W40	0.26kg
RR	13.20	C - 28mm	23775	2864	2746	42555	42549	42550	2745	42548	SAE 15W40	0.35kg
	13.20	N - 24mm	23771	2864	2746	42547	42549	42550	2745	42548	SAE 15W40	0.35kg
	15.15	C - 28mm	23776	2864	2746	42555	42549	42550	2745	42548	SAE 15W40	0.35kg
	15.15	N - 24mm	23772	2864	2746	42547	42549	42550	2745	42548	SAE 15W40	0.35kg
	15.20	C - 28mm	23777	2864	2746	42555	42549	42550	2745	42548	SAE 15W40	0.35kg
	15.20	N - 24mm	23507	2864	2746	42547	42549	42550	2745	42548	SAE 15W40	0.35kg
	15.25H	N - 24mm	24934	2864	2746	42547	42549	42550	2745	42548	SAE 15W40	0.35kg
	18.12	N - 24mm	23773	2864	2746	42547	42549	42550	2745	42548	SAE 15W40	0.35kg
	18.16	C - 28mm	23778	2864	2746	42555	42549	42550	2745	42548	SAE 15W40	0.35kg
	18.16	N - 24mm	23774	2864	2746	42547	42549	42550	2745	42548	SAE 15W40	0.35kg
	18.20	N - 24mm	TBA	2864	2746	42547	42549	42550	2745	42548	SAE 15W40	0.35kg



# 易损零件清单










型号	参数	版本	编号	 单向阀	 柱塞	 油封	 水封	 O型圈	 支撑环	 活塞导杆	 机油类型	 机油容量
RRA	3.5G25	N - 24mm	2864	2846	2746	42547	42549	42550	2745	42548	SAE 15W40	0.35kg
	4G30	N - 24mm	2864	2846	2746	42547	42549	42550	2745	42548	SAE 15W40	0.35kg
	5.5G30	N - 24mm	2864	2846	2746	42547	42549	42550	2745	42548	SAE 15W40	0.35kg
RRV	3.5G25	D - 3/4"	23788	1828	2739	42555	42556	42550	2191	42557	SAE 15W40	0.35kg
	3.5G36	D - 1"	23791	1828	2739	42555	42556	42550	2191	42557	SAE 15W40	0.35kg
	3G27	D - 3/4"	23787	1828	2739	42555	42556	42550	2191	42557	SAE 15W40	0.35kg
	3G36	D - 1"	23790	1828	2739	42555	42556	42550	2191	42557	SAE 15W40	0.35kg
	4G36	D - 1"	23508	1828	2739	42555	42556	42550	2191	42557	SAE 15W40	0.35kg
	4G36	D - 1"	24271	1828	2739	42555	42556	42550	2191	42557	SAE 15W40	0.35kg
	4G36	D - 1"	24682	1828	2739	42555	42556	42550	2191	42557	SAE 15W40	0.35kg
	4G40	D - 1"	24971	1828	2739	42555	42556	42550	2191	42557	SAE 15W40	0.35kg
4G40H	D - 1"	24935	1828	2739	42555	42556	42550	2191	42557	SAE 15W40	0.35kg	
XM	11.17	C - 28mm	7936	1864	2739	2787	2741	-	2740	-	SAE 15W40	0.415kg
	11.17	N - 24mm	7900	1864	2739	2786	2741	-	2740	-	SAE 15W40	0.415kg
	13.17	C - 28mm	7938	1864	2746	2787	2747	-	2745	-	SAE 15W40	0.415kg
	13.17	N - 24mm	7902	1864	2746	2786	2747	-	2745	-	SAE 15W40	0.415kg
	15.15	C - 28mm	7942	1864	2746	2787	2747	-	2745	-	SAE 15W40	0.415kg
	15.15	N - 24mm	7906	1864	2746	2786	2747	-	2745	-	SAE 15W40	0.415kg
SXM	13.20	C - 28mm	21255	2125	2746	2787	2747	-	2745	-	SAE 15W40	0.415kg
	13.20	N - 24mm	21267	2125	2746	2786	2747	-	2745	-	SAE 15W40	0.415kg
	15.20	C - 28mm	21256	2125	2746	2787	2747	-	2745	-	SAE 15W40	0.415kg
	15.20	N - 24mm	21265	2125	2746	2786	2747	-	2745	-	SAE 15W40	0.415kg
RK	15.28H	N - 24mm	20640	2864	2757	1855	1857	-	1829	-	SAE 15W40	0.435kg
	18.28H	N - 24mm	21467	2864	2758	1855	1887	-	1815	-	SAE 15W40	0.435kg
	21.10	C - 28mm	20656	2864	2759	1856	1888	-	1816	-	SAE 15W40	0.435kg
	21.10	N - 24mm	20644	2864	2759	1855	1888	-	1816	-	SAE 15W40	0.435kg
	21.15H	C - 28mm	20657	2864	2759	1856	1888	-	1816	-	SAE 15W40	0.435kg
	21.20H	N - 24mm	21129	2864	2759	1855	1888	-	1816	-	SAE 15W40	0.435kg
	24.10	N - 24mm	23818	2864	2526	1855	1888	-	1816	-	SAE 15W40	0.435kg
	24.15H	N - 24mm	23819	2864	2526	1855	1888	-	1816	-	SAE 15W40	0.435kg
RKV	4G40H	D - 1"	21133	1828	2757	1856	1857	-	1829	-	SAE 15W40	0.435kg
	5.5G40H	D - 1"	21135	1828	2757	1856	1857	-	1829	-	SAE 15W40	0.435kg
RG	15.28	N - 24x40mm	26118	42169	2872	2873	42171	-	-	42172	SAE15W40	0.96kg
	18.28	N - 24x40mm	26559	42169	2872	2873	42171	-	-	42172	SAE15W40	0.96kg
	21.25	N - 24x40mm	25922	42169	2872	2873	42171	-	-	42172	SAE15W40	0.96kg
	24.15	C - 28mm	26037	42169	43619	43755	43620	-	-	43621	SAE15W40	0.96kg
	24.15	N - 24x40mm	25943	42169	43619	43755	43620	-	-	43621	SAE15W40	0.96kg
	30.25	N - 24x45mm	27368	2780	1891	2873	2783	-	-	2785	SAE15W40	0.96kg
RGL	41.17	N - 24x45mm	27951	2780	1849	2873	42708	-	-	42707	SAE15W40	0.96kg
	41.20	N - 24x45mm	27370	2780	1849	2873	42708	-	-	42707	SAE75W90	0.96kg
	50.17	N - 24x45mm	27938	2780	1849	2873	42708	-	-	42707	SAE15W40	0.96kg
RGP	70.15	N - 24x45mm	27371	42835	43444	43445	43446	-	-	-	SAE15W40	0.96kg
SRG	15.35	N - 24x45mm	27696	2871	2872	2873	2874	-	-	42120	SAE15W40	0.9kg
	21.35	N - 24x45mm	27697	2871	2872	2873	2874	-	-	42120	SAE15W40	0.9kg
RGX	10.50H	N - 24x40mm	26558	43408	43409	2873	43410	-	-	43411	SAE75W90	0.96kg
	15.50H	N - 24x40mm	26143	43408	43409	2873	43410	-	-	43411	SAE75W90	0.96kg
	22.50H	N - 24x40mm	26557	43408	43409	2873	43410	-	-	43411	SAE75W90	0.96kg











型号	参数	版本	编号	 单向阀	 柱塞	 油封	 水封	 O型圈	 支撑环	 活塞导杆	 机油类型	 机油容量
XW	21.28	N - 24mm	21136	2780	2650	2873	2782	-	-	2784	SAE 15W40	0.9kg
	26.25	N - 24mm	20176	2780	2650	2873	2782	-	-	2784	SAE 15W40	0.9kg
	30.25	N - 24mm	21137	2780	1891	2873	2783	-	-	2785	SAE 15W40	0.9kg
XWL	41.20	N - 24mm	22462	2780	1849	2873	42708	-	-	-	SAE 15W40	0.9kg
	42.15	N - 24mm	21060	2780	1849	2873	42708	-	-	-	SAE 15W40	0.9kg
	50.15	N - 24mm	23709	2780	1849	2873	42708	-	-	-	SAE 15W40	0.9kg
SXW	10.35	N - 24mm	23409	2871	2872	2873	2874	-	-	42121	SAE 15W40	0.9kg
	15.35	N - 24mm	20807	2871	2872	2873	2874	-	-	42120	SAE 15W40	0.9kg
	15.35HB	N - 24mm	24365	2871	2872	2873	2874	-	-	42120	SAE 15W40	0.9kg
	17.35	N - 24mm	23208	2871	2872	2873	2874	-	-	42120	SAE 15W40	0.9kg
	21.35	N - 24mm	20808	2871	2872	2873	2874	-	-	42120	SAE 15W40	0.9kg
	21.35HB	N - 24mm	24366	2871	2872	2873	2874	-	-	42120	SAE 15W40	0.9kg
SHP	10.50	N - 24mm	22569	2185	2872	2873	2874	-	-	42120	SAE 75W90	0.9kg
	15.50 HN	N - 24mm	24101	2185	2872	2873	2874	-	-	42120	SAE 75W90	0.9kg
	22.50 HN	N - 24mm	24102	2185	2872	2873	2874	-	-	42120	SAE 75W90	0.9kg
	22.50 HN BB	N - 24mm	24368	2185	2872	2873	2874	-	-	42120	SAE 75W90	0.9kg
XWP	50.15	N - 24mm	26283	42835	43444	43445	43446	-	-	-	SAE 15W40	0.9kg
	55.14	N - 24mm	26284	42835	43444	43445	43446	-	-	-	SAE 15W40	0.9kg
	60.13	N - 24mm	26285	42835	43444	43445	43446	-	-	-	SAE 15W40	0.9kg
	65.12	N - 24mm	26286	42835	43444	43445	43446	-	-	-	SAE 15W40	0.9kg
	70.15	N - 24mm	26919	42835	43444	43445	43446	-	-	-	SAE 15W40	0.9kg
RTX	30.300	N - 30mm	24448	42835	42836	42840	42841	-	-	42851	SAE 15W40	3.5kg
	30.500	N - 30mm	26116	43762	42836	42840	43763	-	-	43764	SAE 15W40	3.5kg
	35.350	N - 30mm	27349	43762	42836	42840	43763	-	-	43764	SAE 15W40	3.5kg
	50.300	N - 30mm	26226	42835	42837	42840	42842	-	-	42852	SAE 15W40	3.5kg
	60.300	N - 30mm	26068	42835	42837	42840	42842	-	-	42852	SAE 15W40	3.5kg
	70.200	N - 30mm	26147	42835	42838	42840	42843	-	-	42853	SAE 15W40	3.5kg
	85.150	N - 30mm	25116	42835	42838	42840	42843	-	-	42853	SAE 15W40	3.5kg
	100.120	N - 30mm	24445	42835	42839	42840	46495	-	-	42854	SAE 15W40	3.5kg
	50.150	N - 30mm	24446	43614	42838	42840	42843	-	-	42853	SAE 15W40	3.5kg
	60.150	N - 30mm	25116	43614	42839	42840	42844	-	-	42854	SAE 15W40	3.5kg
	70.120	N - 30mm	24445	43614	42838	42840	42843	-	-	42853	SAE 15W40	3.5kg
	150.100	N - 30mm	26485	42835	42839	42840	42844	-	-	42854	SAE 15W40	3.5kg
RTD	80.300	N - 35x80mm	26875	43614	43797	43616	43798	-	-	43799	SAE 15W40	3.1kg
	100.200	N - 35x80mm	26327	43614	43797	43616	43798	-	-	43799	SAE 15W40	3.1kg
	130.160	N - 35x80mm	26105	43614	43624	43616	43626	-	-	43628	SAE 15W40	3.1kg
	160.130	N - 35x80mm	26104	43614	43624	43616	43626	-	-	43628	SAE 15W40	3.1kg
	200.80	N - 35x80mm	27372	43614	43624	43616	43626	-	-	43628	SAE 15W40	3.1kg
RTP	30.500	N - 35mm	22215	42156	42157	42309	42159	-	-	42160	SAE 75W90	3.5kg
	30.600	N - 35mm	22982	42156	42157	42309	42159	-	-	42558	SAE 75W90	3.5kg
	38.500	N - 35mm	22216	42156	42157	42309	42159	-	-	42160	SAE 75W90	3.5kg
	25.800	N - 35mm	25141	43215	43216	42309	43217	-	-	43218	SAE 75W90	3.5kg
XHW	08.15	N - 24mm	23972	42331	2739	2786	42332	2776	2740	-	ISO VG220	0.92kg
	11.17	N - 24mm	22543	42331	2739	2786	42332	2776	2740	-	ISO VG220	0.92kg
RHW	13.17	N - 24mm	22343	42328	2500	1855	42329	-	1829	-	ISO VG220	0.435kg
	15.15	N - 24mm	22344	42328	2500	1855	42329	-	1829	-	ISO VG220	0.435kg
STP-I	15.50	N - 24mm	26597	2185	2872	2873	2874	-	-	42120	SAE 75W90	0.9kg
	22.50	N - 24mm	27172	2185	2872	2873	2874	-	-	42120	SAE 75W90	0.9kg
RTX-I	30.500	N - 30mm	26611	43762	42836	42840	43763	-	-	43764	SAE 15W40	2kg
	35.350	N - 30mm	27349	43762	42836	42840	43763	-	-	43764	SAE 15W40	2kg



# 易损零件清单

型号	参数	版本	编号	 单向阀	 柱塞	 油封	 水封	 O型圈	 支撑环	 活塞导杆	 机油类型	 机油容量
WHW	15.20	N - 24mm	22986	42401	1891	2873	42402	-	42403	-	ISO VG220	0.92kg
	21.15	N - 24mm	22987	42401	1891	2873	42402	-	42403	-	ISO VG220	0.92kg
	26.15	N - 24mm	22988	42401	1891	2873	42402	-	42403	-	ISO VG220	0.92kg
	32.20	N - 24mm	22989	42401	1891	2873	42402	-	42403	-	ISO VG220	0.92kg
WHWL	38.15	N - 24mm	23966	42401	1849	2873	42562	-	42561	-	ISO VG220	0.92kg
	42.15	N - 24mm	23967	42401	1849	2873	42562	-	42561	-	ISO VG220	0.92kg
	50.15	N - 24mm	23968	42401	1849	2873	42562	-	42561	-	ISO VG220	0.92kg
RRHW	13.20	N - 24mm	23771	2864	2746	42547	42549	42550	2745	42548	ISO VG220	0.35kg
	13.20	C - 28mm	27634	2864	2746	42555	42549	42550	2745	42548	ISO VG220	0.35kg
	15.20	N - 24mm	27632	2864	2746	42547	42549	42550	2745	42548	ISO VG220	0.35kg
	15.20	C - 28mm	27635	2864	2746	42555	42549	42550	2745	42548	ISO VG220	0.35kg
	18.16	N - 24mm	27633	2864	2746	42547	42549	42550	2745	42548	ISO VG220	0.35kg
	18.16	C - 28mm	27636	2864	2746	42555	42549	42550	2745	42548	ISO VG220	0.35kg
RGHW	15.20	N - 24x40mm	27637	42169	2872	2873	42171	-	-	42172	ISO VG220	0.96kg
	18.20	N - 24x40mm	27638	42169	2872	2873	42171	-	-	42172	ISO VG220	0.96kg
	21.20	N - 24x40mm	27639	42169	2872	2873	42171	-	-	42172	ISO VG220	0.96kg
	24.15	C - 28mm	27640	42169	43619	43755	43620	-	-	43621	ISO VG220	0.96kg
RTXHW	70.150	N - 30mm	26759	42835	42838	42840	43555	43555	-	43555	ISO VG220	2kg
	85.150	N - 30mm	26760	42835	42838	42840	43555	43555	-	43555	ISO VG220	2kg
	100.120	N - 30mm	26761	42835	42839	42840	43556	43556	-	43556	ISO VG220	2kg
XM-SS	11.17	N - 24mm	22124	2282	2739	2786	2283	-	2740	-	SAE 75W90	0.43kg
RK-SS	13.17	C - 28mm	20962	2514	2515	2529	2516	-	1829	-	SAE 75W90	0.415kg
	13.17	N - 24mm	20959	2514	2515	2528	2516	-	1829	-	SAE 75W90	0.415kg
	15.15	C - 28mm	20963	2514	2515	2529	2516	-	1829	-	SAE 75W90	0.415kg
	15.15	N - 24mm	20960	2514	2515	2528	2516	-	1829	-	SAE 75W90	0.415kg
	21.15	C - 28mm	21369	2514	2526	2529	2527	-	1816	-	SAE 75W90	0.415kg
	21.15	N - 24mm	21368	2514	2526	2528	2527	-	1816	-	SAE 75W90	0.415kg
RKA-SS	7G22	N - 24mm	21195	2514	2526	2528	2527	-	1816	-	SAE 75W90	0.415kg
XWL-SS	26.12	N - 24mm	TBA	2162	2163	2873	2164	-	-	2165	SAE 75W90	0.9kg
	30.12	N - 24mm	TBA	2162	2163	2873	2164	-	-	2165	SAE 75W90	0.9kg
	42.15	N - 24mm	21704	2162	2163	2873	2164	-	-	2165	SAE 75W90	0.9kg
	50.15	N - 24mm	24105	2162	2163	2873	2164	-	-	2165	SAE 75W90	0.9kg
RTX-SS	100.100	N - 30mm	26136	43520	42839	42840	43519	-	-	43765	SAE 75W90	3.8kg



型号	参数	版本	编号	 单向阀	 柱塞	 油封	 水封	 O型圈	 支撑环	 活塞导杆	 机油类型	 机油容量
XJS + F39	11.14	HYD	21597	2869	2796	2797	2798	2799	-	-	SAE 75W90	0.135kg
XM + F38	15.15	HYD	21598	1864	2746	2787	2747	2777	2745	-	SAE 15W40	0.415kg
RK + F38	15.20	HYD	21600	1864	2757	1856	1857	2809	1829	-	SAE 15W40	0.435kg
	21.15	HYD	22086	1864	2757	1856	1857	2809	1829	-	SAE 15W40	0.435kg
	24.10	HYD	25781	1864	2759	1856	1888	2811	1817	-	SAE 15W40	0.435kg
XW + F38	30.15	HYD	22318	2780	2650	2873	2782	2779	-	-	SAE 15W40	0.9kg
	50.09	HYD	TBA	2780	2650	2873	2782	2779	-	-	SAE 15W40	0.9kg
RTX + F56	60.300	HYD	TBA	42835	42837	42840	42842	-	-	42852	SAE 15W40	3.5kg
	700.200	HYD	TBA	42835	42838	42840	42843	-	-	42853	SAE 15W40	3.5kg
	85.150	HYD	TBA	42835	42839	42840	42844	-	-	42854	SAE 15W40	3.5kg
	100.120	HYD	TBA	42835	42839	42840	42844	-	-	42854	SAE 15W40	3.5kg
RTD + F57	80.300	HYD	TBA	43614	43797	43616	43798	-	-	43799	SAE 15W40	3.5kg
	100.200	HYD	TBA	43614	43797	43616	43798	-	-	43799	SAE 15W40	3.5kg
	130.160	HYD	TBA	43614	43624	43616	43626	-	-	43628	SAE 15W40	3.5kg
	160.130	HYD	TBA	43614	43624	43616	43626	-	-	43628	SAE 15W40	3.5kg
	200.80	HYD	TBA	43614	43624	43616	43626	-	-	43628	SAE 15W40	3.5kg
HPN-M	08.05	-	22763	42327	2508	-	-	42315	-	-	ISO VG100	0.07kg
HRM-M	01.08	N - 24mm	22627	2233	2313	42124	2235	2237	-	-	ISO VG100	0.07kg
	02.08	N - 24mm	22628	2233	2313	42124	2235	2237	-	-	ISO VG100	0.07kg
	04.08	N - 24mm	22629	2233	2313	42124	2235	2237	-	-	ISO VG100	0.07kg
HPV-M	1,3.08	-	22123	1880	2623	1876	2624	2767	-	-	SAE 10W40	0.13kg
HPV-M O	1,3.10	-	25230	42566	2623	1876	42567	42568	-	-	SAE 10W40	0.13kg
	3.10	-	24226	42566	2623	1876	42567	42568	-	-	SAE 10W40	0.13kg