







SL000187-KV




SL000188-KV




SL000189-KV



SL000190-KV



SL000191-KV



SL000192-KV


Pos. 序号	Cod. 编号	Description	描述	Q.ty 数量	Note 备注
1	621781	Bolt M 8x40	螺丝 M8x40	8	Geomet C ₂₀
2	621782	Bolt M 8x40	螺丝 M8x40	8	Inox C ₂₀
3	180020	Air valve	空气阀	1	C ₃
4	620232	Higher semi air chamber	高压半气室	1	
5	650542	Gasket	垫片	1	
6	550190	Semi air chamber	半气室	1	
7	3040310	Lower air chamber	低压气室	1	
8	3040280	Bolt M 10x85	螺丝 M10x85	16	Geomet C ₂₇
9	3040281	Bolt M 10x85	螺丝 M10x85	16	Inox C ₂₇
10	320621	Washer 10,5x21x2	垫圈 10,5x21x2	16	Geomet
11	3040520	Washer 10,1x22x2	垫圈 10,1x22x2	16	Inox
12	280220	O-Ring ø 29,75x3,53	O型圈 ø 29,75x3,53	1	☒
13	3280070	Manifold	歧管	1	
14	3280040	Manifold	歧管	3	
15	3040160	Elbow ø35	弯管 ø35	1	
16	3049050	Valve	阀	8	
17	3040200	Gasket	垫片	8	☐
18	750670	Ring nut 1"1/2 G	环形螺母 1"1/2 G	1	
19	390290	O-Ring ø 29x3	O型圈 ø 29x3	1	☒
20	100320	O-Ring ø 52,39x3,53	O型圈 ø 52,39x3,53	16	☐
21	3040370	Plug 3/4" G	插头 3/4" G	2	C ₁₀
22	1540630	O-Ring ø 23,47x2,62	O型圈 ø 23,47x2,62	2	☒
23	3280041	Manifold (F)3/4" G	歧管 (F)3/4" G	2	
24	750740	O-Ring ø 56,74x3,53	O型圈 ø 56,74x3,53	2	☒
25	750710	Ring nut 2"1/2 G	环形螺母 2"1/2 G	1	
26	750720	Elbow ø 60	弯管 ø 60	1	
27	3040260	Plug	插头	1	
28	3040510	O-Ring ø 70x3	O型圈 ø 70x3	1	▶
29	3049001	Oil tank assembly	机油箱组件	1	
30	3040250	Oil tank	机油箱	1	
31	3040490	Fitting ø 4	接头 ø 4	2	☐
32	1040060	O-Ring ø 72,69x2,62	O型圈 ø 72,69x2,62	1	
33	750050	Plug	插头	1	Rosso
34	3040500	Hose	软管	1	34mm 98 Sh
35	3040590	O-Ring ø 22x3	O型圈 ø 22x3	2	☒
36	394171	Dowel M 8x16	销子 M8x16	2	Geomet C ₁₀
37	394172	Dowel M 8x16	销子 M8x16	2	Inox C ₁₀
38	3040290	Bolt M 14x40	螺丝 M14x40	6	Geomet C ₅₀
39	3040291	Bolt M 14x40	螺丝 M14x40	6	Inox C ₅₀
40	3280090	Dowel M 10x14	销子 M10x14	2	Geomet C ₂₀
41	3280091	Dowel M 10x14	销子 M10x14	2	Inox C ₂₀
42	3280030	Base	底座	2	Cataforesi
43	820361	Plug 1/2" G	插头 1/2" G	1	Ottone
44	180101	O-Ring ø 10,5x2	O型圈 ø 10,5x2	1	
45	3280010	Pump housing	水泵外罩	1	
46	3280080	Support	支撑座	2	
47	3040300	Bolt M 12x85	螺丝 M12x85	32	Geomet C ₄₉
48	3040301	Bolt M 12x85	螺丝 M12x85	32	Inox C ₄₉
49	390090	Washer 13x24x2,5	垫圈 13x24x2,5	28	Geomet
50	390092	Washer 13x24x2,5	垫圈 13x24x2,5	28	Inox

Pos. 序号	Cod. 编号	Description	描述	Q.ty 数量	Note 备注
43	3040030	Head	泵头	4	
44	750980	Nut M 12	螺母 M12	4	Inox C ₂₉
45	3040120	Plate	弹簧片	4	
46	3040080	Diaphragm ø145	隔膜 ø145	4	Gomma
47	3040130	Diaphragm pin	隔膜插针	4	☐ C ₂₉
48	3040110	Piston ring ø100	柱塞环 ø100	4	
49	3040100	Piston ø100	柱塞 ø100	4	
50	3280110	Sleeve ø100	套筒 ø100	4	
51	3280020	Connecting rod	连杆	4	
52	160691	Pin ring ø18	插针环 ø18	8	
53	540070	Piston pin 18x70	柱塞插针 18x70	4	▶
54	850251	Bolt M 8x12	螺丝 M8x12	3	Geomet C ₁₀
55	850252	Bolt M 8x12	螺丝 M8x12	3	Inox C ₁₀
56	390314	Washer 8,5x17x1,5	垫圈 8,5x17x1,5	3	Geomet
57	390315	Washer 8,4x17x1,6	垫圈 8,4x17x1,6	3	Inox
58	1500470	Cardan protection	万向保护罩	1	
59	161050	Circlip ø 72	卡簧 ø 72	2	
60	450261	Bolt 10x35	螺丝 10x35	6	Geomet C ₁₉
61	450262	Bolt 10x35	螺丝 10x35	6	Inox C ₁₉
62	3040020	Flange	法兰	1	
63	1800160	O-Ring ø 113,97x2,62	O型圈 ø 113,97x2,62	1	
64	2680120	Seal 35x72x10	密封圈 35x72x10	2	☒
65	160751	Bearing 35x100x25	轴承 35x100x25	2	↓
66	540040	Space washer	隔离垫圈	2	
67	850130	Con rod ring	连杆环	2	
68	850320	Bearing	轴承	2	
69	3280100	Shaft C/C	轴 C/C	1	DR
70	3280120	Shaft C/F	轴 C/F	1	DS
71	1508	Air chamber assembly	气室组件	1	
72	1555	Air chamber assembly	气室组件	1	Inox
73	3040360	Spacer washer	隔离垫圈	1	
74	2240380	Bearing	轴承	1	↓
75	3040320	Flange	法兰	1	
76	2680130	Seal ring	密封环	1	
77	3280050	Manifold 2" 1/2 G	歧管 2" 1/2 G	1	
78	3280060	Manifold 1" 1/2 G	歧管 1" 1/2 G	1	

Symbols - 标识

☐	Lubricate with grease Molykote G807
☒	Use Molykote G807 grease
☒	Lubricate with grease Molykote PG54
☒	Use Molykote PG54 grease
C	Tightening torque tolerance +0/-10% Nm
☒	Use MINERAL GREASE
☒	Use MINERAL GREASE
☒	Lubricate with ENGINE OIL
☒	Use ENGINE OIL
☒	Screw down with Loxeal 83-21 STRONG (Green) thread sealer
☒	Use Loxeal 83-21 STRONG (Green) thread sealer
☒	Assemble with PRESS
☒	Use P40 grease
☒	Use P40 grease
☒	Screw down with Loxeal 55-14 MEDIUM (Red) thread sealer
☒	Use Loxeal 55-14 MEDIUM (Red) thread sealer


(3012)



KIT 42587
Buna diaphragms
丁纳橡胶隔膜

Pos. 序号	Q.ty 数量
13	8
14	8


Pos. 序号	Q.ty 数量
46	3



KIT 42590
Valves
单向阀


Pos. 序号	Q.ty 数量
13	8
14	8

Pos. 序号	Q.ty 数量
46	3



KIT 42591
O-Rings
O型圈

Pos. 序号	Q.ty 数量	Pos. 序号	Q.ty 数量
9	1	60	1
16	1		
17	16		
19	2		
21	2		
25	1		
29	1		
32	2		
38	1		




KIT 42592
Maintenance repair
维修工具

Pos. 序号	Q.ty 数量	Pos. 序号	Q.ty 数量	Pos. 序号	Q.ty 数量
5	1	21	2	45	3
9	1	22	1	46	3
12	1	23	1	60	1
13	8	25	1		
14	8	29	1		
15	1	30	1		
16	1	32	2		
17	16	38	1		
19	2	44	3		




Used oil
使用机油


Type / 类型	Kg
SAE 30	3,4




SL000187-KV




SL000188-KV




SL000189-KV



SL000190-KV



SL000191-KV



SL000192-KV


Pos.	Cod.	Descrizione	Description	Q.ty	Note
1	621781	Vite TE M 8x40	Bolt	8	Geomet C ₂₀
2	621782	Vite TE M 8x40	Bolt	8	Inox C ₂₀
3	180020	Valvola di gonfiaggio	Air valve	1	C ₃
4	620232	Semicamera aria sup. nera	Higher semi air chamber	1	
5	650542	Guarniz. valv.di gonfiaggio	Gasket	1	
6	550190	Semicamera aria	Semi air chamber	1	
7	3040310	Semisfera inferiore	Lower air chamber	1	
8	3040280	Vite TE M10x85	Bolt	16	Geomet ☒ C ₂₇
9	3040281	Vite TE M10x85	Bolt	16	Inox ● C ₂₇
10	320621	Rondella 10,5x21x2	Washer	16	Geomet
11	3040520	Rondella piana 10,1x22x2	Washer	16	Inox
12	280220	OR ø 29,75x3,53	O-Ring	1	☒
13	3280070	Condotto camera aria	Manifold	1	
14	3280040	Condotto aspiraz./mand.	Manifold	3	
15	3040160	Curva Ø35	Elbow	1	
16	3049050	Valvola	Valve	8	
17	3040200	Guarnizione valvola	Gasket	8	☐
18	750670	Girello 1"1/2 G	Ring nut	1	
19	390290	OR ø 29x3	O-Ring	1	☒
20	100320	OR ø 52,39x3,53	O-Ring	16	☐
21	3040370	Tappo mandata 3/4"G	Plug	2	C ₁₀
22	1540630	OR ø 23,47x2,62	O-Ring	2	☒
23	3280041	Condotto filettato(F)3/4"G	Manifold	2	
24	750740	OR ø 56,74x3,53	O-Ring	2	☒
25	750710	Girello 2"1/2 G	Ring nut	1	
26	750720	Curva ø 60	Elbow	1	
27	3040260	Tappo serbatoio	Plug	1	
28	3040510	OR ø 70x3	O-Ring	1	▶
29	3049001	Prem.Serbatoio olio	Oil tank assembly	1	
30	3040250	Serbatoio olio	Oil tank	1	
31	3040490	Racc. aria m5 per tubo ø4	Fitting	2	●
32	1040060	OR ø 72,69x2,62	O-Ring	1	
33	750050	Tappo serbatoio	Plug	1	
34	3040500	Tubo aria in poliuretano	Hose	1	Rosso 34mm 98 Sh
35	3040590	OR ø 22x3	O-Ring	2	☒
36	394171	Grano M 8x16	Dowel	2	Geomet ● C ₁₀
37	394172	Grano M 8x16	Dowel	2	Inox ● C ₁₀
38	3040290	Vite TE M 14x40	Bolt	6	Geomet C ₅₀
39	3040291	Vite TE M 14x40	Bolt	6	Inox C ₅₀
40	3280090	Grano M 10x14	Dowel	2	Geomet C ₂₀
41	3280091	Grano M 10x14	Dowel	2	Inox C ₂₀
42	3280030	Piede	Base	2	Cataforesi
43	820361	Tappo 1/2" G	Plug	1	Ottone
44	180101	OR ø 10,5x2	O-Ring	1	
45	3280010	Corpo pompa	Pump housing	1	
46	3280080	Supporto per sollevamento	Support	2	
47	3040300	Vite TE M 12x85	Bolt	32	Geomet ☒ C ₄₉
48	3040301	Vite TE M 12x85	Bolt	32	Inox ● C ₄₉
49	390090	Rondella 13x24x2,5	Washer	28	Geomet
50	390092	Rondella 13x24x2,5	Washer	28	Inox

Pos.	Cod.	Descrizione	Description	Q.ty	Note
43	3040030	Testa plastificata	Head	4	
44	750980	Dado autobloccante M 12	Nut	4	Inox C ₂₉
45	3040120	Disco ferma membrana	Plate	4	
46	3040080	Membrana ø145	Diaphragm	4	Gomma
47	3040130	Perno ferma membrana	Diaphragm pin	4	☐ C ₂₉
48	3040110	Segmento ø100	Piston ring	4	
49	3040100	Pistone ø100	Piston	4	
50	3280110	Camicia ø100	Sleeve	4	
51	3280020	Biella	Connecting rod	4	
52	160691	Anellino spinotto ø18	Pin ring	8	
53	540070	Spinotto DE 18x70	Piston pin	4	▶
54	850251	Vite TCEI M 8x12	Bolt	3	Geomet C ₁₀
55	850252	Vite TCEI M 8x12	Bolt	3	Inox C ₁₀
56	390314	Rondella 8,5x17x1,5	Washer	3	Geomet
57	390315	Rondella 8,4x17x1,6	Washer	3	Inox
58	1500470	Protezione cardano rossa	Cardan protection	1	
59	161050	Seeger ø 72	Circlip	2	
60	450261	Vite TE M 10x35	Bolt	6	Geomet ☒ C ₁₉
61	450262	Vite TE M 10x35	Bolt	6	Inox ● C ₁₉
62	3040020	Flangia supporto	Flange	1	
63	1800160	OR ø 113,97x2,62	O-Ring	1	
64	2680120	Anello tenuta 35x72x10	Seal	2	☒
65	160751	Cuscinetto 35x100x25	Bearing	2	↓
66	540040	Piastra distanziale	Space washer	2	
67	850130	Anello biella	Con rod ring	2	
68	850320	Cuscinetto	Bearing	2	
69	3280100	Albero eccentrico C/C	Shaft	1	DR
70	3280120	Albero eccentrico C/F	Shaft	1	DS
71	1508	Prem. camera aria	Air chamber assembly	1	
72	1555	Prem. camera aria	Air chamber assembly	1	Inox
73	3040360	Piastra distanziale	Spacer washer	1	↓
74	2240380	Cuscinetto	Bearing	1	
75	3040320	Flangia	Flange	1	
76	2680130	Anello tenuta	Seal ring	1	
77	3280050	Condotto asp. fil. 2" 1/2 G	Manifold	1	
78	3280060	Condotto mand. fil. 1" 1/2 G	Manifold	1	

Simbologia - Symbols

☐	Lubrificare con grasso Molykote G807
☒	Lubrificare con grasso Molykote G807
☒	Lubrificare con grasso Molykote PG54
☒	Lubrificare con grasso Molykote PG54
C	Coppia serraggio Tolleranza +0/-10% Nm
☒	Tightening torque tolerance +0/-10% Nm
☒	Lubrificare con GRASSO MINERALE
☒	Lubrificare con MINERAL GREASE
☒	Lubrificare con OLIO MOTORE
☒	Lubrificare with ENGINE OIL
☒	Avvitare con Loxeal 83-21 Frenaflettì FORTE (Verde)
☒	Screw down with Loxeal 83-21 STRONG (Green) thread sealer
☒	Montare con PRESSA
☒	Assemble with PRESS
☒	Lubrificare con grasso P40
☒	Lubrificate with grease P40
☒	Avvitare con Loxeal 55-14 Frenaflettì MEDIO (Rosso)
☒	Screw down with Loxeal 55-14 MEDIUM (Red) thread sealer


(3012)



KIT 42587
Membrane gomma
Buna diaphragms

Pos.	Q.ty
13	8
14	8


Pos.	Q.ty
46	3



KIT 42590
Valvole
Valves


Pos.	Q.ty
13	8
14	8

Pos.	Q.ty
46	3




KIT 42591
OR
O-Rings

Pos.	Q.ty	Pos.	Q.ty
9	1	60	1
16	1		
17	16		
19	2		
21	2		
25	1		
29	1		
32	2		
38	1		




KIT 42592
Pronto intervento
Maintenance repair

Pos.	Q.ty	Pos.	Q.ty	Pos.	Q.ty
5	1	21	2	45	3
9	1	22	1	46	3
12	1	23	1	60	1
13	8	25	1		
14	8	29	1		
15	1	30	1		
16	1	32	2		
17	16	38	1		
19	2	44	3		




Olio utilizzato
Used oil

Tipo - Type	Kg
SAE 30	3,4




24 - 1

SL000120-MY




24 - 2

SL000121-MY




24 - 3

SL000122-MY




24 - 4

SL000123-MY



24 - 5

SL000124-MY




24 - 6


Pos. 序号	Cod. 编号	Description	描述	Q.ty 数量	Note 备注
1	750050	Red oil tank cap	红色机油箱盖	1	AR460bp
2	1800060	Black oil tank cap	黑色机油箱盖	1	AR410bp
3	1040060	O-Ring 72,69x2,62	O型圈	1	
4	3040250	Oil tank	机油箱	1	
5	3040590	O-Ring 70x3	O型圈	1	
6	3040260	Oil tank cap	机油箱盖	1	
7	3040590	O-Ring 22x3	O型圈	2	
8	3040500	Breather tube	通气管	1	
9	3040490	Breather adapter	通气接头	2	
10	394171	Dowel M 8x16	螺钉	2	C ₁₀
11	3040010	Pump body	泵体	1	
12	3040150	Base	底座	2	
13	3040290	Bolt M 14x40	螺栓	6	Inox C ₅₀
14	3040430	Elbow ø 40	弯管	1	
15	3040470	O-Ring ø 39,3x2,6	O型圈	2	
16	3040450	Ring nut 2" G	环形螺母	1	
17	3040060	Manifold	歧管	1	
18	3040520	Washer	垫圈	24	Inox
19	2240110	Nut M 10	螺母	24	Inox C ₄₀
20	3040041	Manifold 3/4" G	歧管	2	
21	3040370	Plug 3/4" G	插头	2	C ₁₀
22	1540630	O-Ring 23,47x2,62	O型圈	2	
23	750740	O-Ring ø 56,74x3,53	O型圈	22	
24	3040040	Manifold	歧管	7	
25	3040070	Manifold	歧管	1	
26	280220	O-Ring ø 29,75x3,53	O型圈	1	
27	3040310	Lower air chamber	降压气室	1	
28	550190	Semi air chamber	半气室	1	NBR
29	620232	Upper air chamber	升压气室	1	
30	180020	Air valve	空气阀	1	C ₃
31	650542	Gasket	垫片	1	
32	621781	Bolt M 8x40	螺栓	8	C ₂₀
33	621782	Bolt M 8x40	螺栓	8	Inox C ₂₀
34	3040050	Suction manifold 3" G	抽吸歧管	1	
35	3040420	Ring nut 3" G	环形螺母	1	
36	3040460	O-Ring ø 68,3x3,5	O型圈	2	
37	3040410	Elbow ø 75	弯管	1	
38	850251	Bolt M 8x12	螺栓	3	C ₁₀
39	850252	Bolt M 8x12	螺栓	3	Inox C ₁₀
40	390314	Washer	垫圈	3	
41	390315	Washer	垫圈	3	Inox
42	1500530	Cardan protection	万向保护罩	1	
43	3040140	Sleeve	套筒	6	AR410bp
44	3040142	Sleeve	套筒	6	AR460bp
45	3040090	Connecting rod	连杆	6	
46	160691	Pin ring	插针环	12	
47	3040100	Piston	活塞	6	
48	540070	Piston pin	活塞插针	6	

Pos. 序号	Cod. 编号	Description	描述	Q.ty 数量	Note 备注
44	3040110	Piston ring	活塞环	6	
45	3040130	Diaphragm pin	隔膜插针	6	C ₃₀ (a)
46	3040080	Diaphragm	隔膜	6	Gomma
47	3040085	Diaphragm	隔膜	6	Desmopan
48	3040082	Diaphragm	隔膜	6	H.P.D.S.
49	3040120	Diaphragm Disc	隔膜阀瓣	6	
50	750980	Nut	螺母	6	C ₂₅
51	3040481	Support	支撑座	2	Inox
52	3040030	Head	泵头	6	
53	3049050	Complete valve	单向阀	12	
54	3040200	Gasket	垫片	12	
55	390090	Washer	垫圈	44	Inox
56	3040300	Bolt M 12x85	螺栓	48	Inox C ₄₉
57	161050	Circlip	卡簧	2	
58	450261	Bolt M 6x35	螺栓	6	Inox C ₂₀
59	3040020	Shaft support	轴支撑盘	1	
60	2680120	Seal ring	密封环	2	
61	1800160	O-Ring ø 113,97x2,62	O型圈	1	
62	160751	Bearing	轴承	2	
63	540040	Plate	弹簧片	2	
64	850130	Con rod ring	连杆环	2	
65	850320	Bearing	轴承	2	
66	3040170	"C/C" shaft	轴	1	AR 410 bp (DA)
67	3040190	"C/C" shaft	轴	1	AR 460 bp (DC)
68	3040320	Shaft support	轴支撑盘	1	
69	2680130	Seal ring	密封环	1	
70	2240380	Bearing	轴承	1	
71	3040360	Plate	弹簧片	1	
72	3040330	"C/F" shaft	轴	1	AR 410 bp (DD)
	3040350	"C/F" shaft	轴	1	AR 460 bp (DF)
	3049001	Tank	油罐	1	
	3040530	Stud M 10x1,5	螺栓	24	C ₃₀
	1508	Air chamber assembly	气室组件	1	


(3012)




KIT 42287	
Buna diaphragms 丁纳橡胶隔膜	
KIT 42288	
HPDS diaphragms HPDS 隔膜	
KIT 42289	
Desmopan diaphragms 德国拜耳隔膜	
Pos. 序号	Q.ty 数量
46	6




KIT 42290	
Valves 单向阀	
Pos. 序号	Q.ty 数量
51	12
52	12



KIT 42291	
O-Rings O型圈	
Pos. 序号	Q.ty 数量
2	1
4	1
6	2
14	2
21	2
22	24
25	1
34	2
59	1




KIT 42292					
Maintenance repair 维修工具					
Pos. 序号	Q.ty 数量	Pos. 序号	Q.ty 数量	Pos. 序号	Q.ty 数量
1	1	46	6		
2	1	47	6		
13	1	48	6		
14	2	51	12		
15	1	52	12		
27	1				
33	1				
34	2				
35	1				
45	6				




Used oil 使用机油	
Type / 类型	Kg
SAE 30	8

(a) Avvitare con LOXEAL 83-21
codulo lato pistone




24 - 1

SL000120-MY




24 - 2

SL000121-MY




24 - 3

SL000122-MY




24 - 4

SL000123-MY



24 - 5

SL000124-MY




24 - 6


Pos.	Cod.	Descrizione	Description	Q.ty	Note
1	750050	Tappo serbatoio rosso	Red oil tank cap	1	AR460bp
2	1800060	Tappo nero	Black oil tank cap	1	AR410bp
3	1040060	OR 72,69x2,62	O-Ring	1	
4	3040250	Serbatoio olio	Oil tank	1	
5	3040590	OR 70x3	O-Ring	1	
6	3040260	Tappo serbatoio	Oil tank cap	1	
7	3040590	OR 22x3	O-Ring	2	
8	3040500	Tubo sfiato	Breather tube	1	
9	3040490	Raccordo sfiato	Breather adapter	2	
10	394171	Grano M 8x16	Dowel	2	C ₁₀
11	3040010	Corpo pompa	Pump body	1	
12	3040150	Piede	Base	2	
13	3040290	Vite TE M 14x40	Bolt	6	Inox C ₅₀
14	3040430	Curva ø 40	Elbow	1	
15	3040470	OR ø 39,3x2,6	O-Ring	2	
16	3040450	Girello 2" G	Ring nut	1	
17	3040060	Condotta mandata	Manifold	1	
18	3040520	Rondella	Washer	24	Inox
19	2240110	Dado M 10	Nut	24	Inox C ₄₀
20	3040041	Condotta mandata 3/4" G	Manifold	2	
21	3040370	Tappo 3/4" G	Plug	2	C ₁₀
22	1540630	OR 23,47x2,62	O-Ring	2	
23	750740	OR ø 56,74x3,53	O-Ring	22	
24	3040040	Condotta chiusa	Manifold	7	
25	3040070	Condotta	Manifold	1	
26	280220	OR ø 29,75x3,53	O-Ring	1	
27	3040310	Semisfera inferiore	Lower air chamber	1	
28	550190	Semicamera aria	Semi air chamber	1	NBR
29	620232	Semisfera superiore	Upper air chamber	1	
30	180020	Valvola di gonfiaggio	Air valve	1	C ₃
31	650542	Guarnizione	Gasket	1	
32	621781	Vite TCEI M 8x40	Bolt	8	C ₂₀
33	621782	Vite TCEI M 8x40	Bolt	8	Inox C ₂₀
34	3040050	Condotta aspirazione 3" G	Suction manifold	1	
35	3040420	Girello 3" G	Ring nut	1	
36	3040460	OR ø 68,3x3,5	O-Ring	2	
37	3040410	Curva ø 75	Elbow	1	
38	850251	Vite TCEI M 8x12	Bolt	3	C ₁₀
39	850252	Vite TCEI M 8x12	Bolt	3	Inox C ₁₀
40	390314	Rondella	Washer	3	
41	390315	Rondella	Washer	3	Inox
42	1500530	Protezione cardano	Cardan protection	1	
43	3040140	Camicia	Sleeve	6	AR410bp
44	3040142	Camicia	Sleeve	6	AR460bp
45	3040090	Biella	Connecting rod	6	
46	160691	Anellino spinotto	Pin ring	12	
47	3040100	Pistone	Piston	6	
48	540070	Spinotto	Piston pin	6	

Pos.	Cod.	Descrizione	Description	Q.ty	Note
44	3040110	Segmento	Piston ring	6	
45	3040130	Perno ferma membr.	Diaphragm pin	6	C ₃₀ (a)
46	3040080	Membrana	Diaphragm	6	Gomma
47	3040085	Membrana	Diaphragm	6	Desmopan
48	3040082	Membrana	Diaphragm	6	H.P.D.S.
49	3040120	Disco ferma membr.	Diaphragm Disc	6	
50	750980	Dado	Nut	6	C ₂₅
51	3040481	Supporto per soll.	Support	2	Inox
52	3040030	Testa	Head	6	
53	3049050	Valvola completa	Complete valve	12	
54	3040200	Guarnizione	Gasket	12	
55	390090	Rondella	Washer	44	Inox
56	3040300	Vite TE M 12x85	Bolt	48	Inox C ₄₉
57	161050	Anello seeger	Circlip	2	
58	450261	Vite TE M 6x35	Bolt	6	Inox C ₂₀
59	3040020	Supporto albero	Shaft support	1	
60	2680120	Anello tenuta	Seal ring	2	
61	1800160	OR ø 113,97x2,62	O-Ring	1	
62	160751	Cuscinetto	Bearing	2	
63	540040	Piastra	Plate	2	
64	850130	Anello biella	Con rod ring	2	
65	850320	Cuscinetto	Bearing	2	
66	3040170	Albero ecc. "C/C"	"C/C" shaft	1	AR 410 bp (DA)
67	3040190	Albero ecc. "C/C"	"C/C" shaft	1	AR 460 bp (DC)
68	3040320	Supporto albero	Shaft support	1	
69	2680130	Anello tenuta	Seal ring	1	
70	2240380	Cuscinetto	Bearing	1	
71	3040360	Piastra	Plate	1	
72	3040330	Albero ecc. "C/F"	"C/F" shaft	1	AR 410 bp (DD)
73	3040350	Albero ecc. "C/F"	"C/F" shaft	1	AR 460 bp (DF)
74	3049001	Serbatoio completo	Tank	1	
75	3040530	Prigioniero M 10x1,5	Stud	24	C ₃₀
76	1508	Prem. camera aria	Air chamber assembly	1	


(3012)




KIT 42287	
Membrane gomma	
Buna diaphragms	
KIT 42288	
Membrane HPDS	
HPDS diaphragms	
KIT 42289	
Membrane Desmopan	
Desmopan diaphragms	
Pos.	Q.ty
46	6




KIT 42290	
Valvole	
Valves	
Pos.	Q.ty
51	12
52	12



KIT 42291	
OR	
O-Rings	
Pos.	Q.ty
2	1
4	1
6	2
14	2
21	2
22	24
25	1
34	2
59	1



KIT 42292					
Pronto intervento					
Maintenance repair					
Pos.	Q.ty	Pos.	Q.ty	Pos.	Q.ty
1	1	46	6		
2	1	47	6		
13	1	48	6		
14	2	51	12		
15	1	52	12		
27	1				
33	1				
34	2				
35	1				
45	6				



Olio utilizzato	
Used oil	
Tipo - Type	Kg
SAE 30	8

(a) Avvitare con LOXEAL 83-21
codulo lato pistone